


This flexible solution, is available in a wide range of finishes with high resistance and can accommodate various glazing apertures and configuration options.

Esta solución flexible, está disponible en una amplia gama de revestimientos con elevada resistencia y puede asumir diversas vidrieras y opciones de configuración.




Technical information

Technical drawings



Notes:
 Dimensions in millimeters.
 (B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.
 Depending on product features or configurations, dimensions will vary.

Configurations



Puerta con interior macizo
 Cerco en contrachapado denso
 Cerco con tapajuntas extensible y volteada
 Bisagras y cerradura con acabado en acero inoxidable
Opcional: Rejillas de ventilación

Door with solid core
 Frame in high density plywood
 Frame with adjustable architrave and rounded
 Stainless steel hinges and lock
 Available magnetic lock and invisible hinges
Optional: Ventilation grille

Note: PVC lipping on the whole perimeter of the door

Essential Dekordor® HD Blue Seas



Certified by independent laboratories as resistant to fire for 30 or 60 minutes, this solution can assume various apertures with glazing and configuration options.

Certificada por laboratorios internacionales, como resistente al fuego para 30 o 60 minutos, esta solución puede asumir diversas vidrieras y opciones de configuración.


Fire 30 & Fire 60



Technical information

Fire 30

Technical drawings



Puerta corta-fuego 30 minutos, 44mm de espesor
Cerco corta-fuego 30 min. en madera y contrachapado denso
Juntas intumescentes y perfil de aislamiento
Bisagras y cerradura en acero inoxidable con marcado CE
U-Value 2,1W/m²K - EN 10077-1
Certificación corta-fuego - EN 13501-2 e BS476 Part22
Opcional:
Rejillas de ventilación para certificación BS
Cierrapuertas con brazo

30 minute fire door, 44mm thickness
30 min. fire resistant frame in solid wood and high density plywood
Intumescent strips and isolation profiles
Stainless steel CE marked hinges and lock
U-Value 2,1W/m²K - EN 10077-1
Fire certification - EN 13501-2 and BS476 Part22
Optional:
Ventilation grille for BS certification
Door closer with scissor arm

Note: PVC lipping on the whole perimeter of the door

Ventilation grille



Essential Dekordor® HD Carbon Grey and Carrot Orange




Door closer with scissor arm



Fire 30 also available with acoustic performances


Configurations



Technical information

Fire 60


Technical drawings




Notes:
 Dimensions in millimeters.
 (B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.
 Depending on product features or configurations, dimensions will vary.

Fire 60 also available with acoustic performances

Configurations



Essential Dekordor® 3D Grey



Puerta corta-fuego 60 minutos, 54mm de espesor
 Cerco corta-fuego 60 min. en madera y contrachapado denso
 Juntas intumescentes y perfil de aislamiento
 Bisagras y cerradura en acero inoxidable con marcado CE
 U-Value 1,8W/m²K para certificación BS
 Certificación corta-fuego - EN 13501-2 e BS476 Part22

Opcional:
 Cierrapuertas con brazo

60 minute fire door, 54mm thickness
 60 min. fire resistant frame in solid wood and high density plywood
 Intumescent strips and isolation profiles
 Stainless steel CE marked hinges and lock
 U-Value 1,8W/m²K for BS certification
 Fire certification - EN 13501-2 and BS476 Part22

Optional:
 Door closer with scissor arm

Note: PVC liping on the whole perimeter of the door

block


Available in a wide range of finishes with high resistance, block system integrates door, frame and ironmongery and is ready to fit.

Disponible en una amplia gama de revestimientos con elevada resistencia, el sistema de block es compuesto por puerta, cerco, tapetas y accesorios y es listo a instalar.




Technical information

Technical drawings



Models and finishes see pages 216 to 221

Configurations



Rounded frame



Essential Dekordor® HD Blue Lake



Puerta con interior macizo
Cerco con tapajuntas volteadas en MDF hidrófugo
Puerta disponible con lambor
Opción de cerco con junta de goma
Disponibile con tapajuntas extensibles

Door with solid core
Frame with rounded architraves in MR MDF
Door available with leading edge
Frame with rubber seal as option
Available adjustable architraves

Note: PVC lipping on the whole perimeter of the door

Solution ready to fit which integrates door, frame and ironmongery. This concept is certified by independent laboratories as resistant to fire for 30 or 60 minutes.


Solución lista a instalar que integra puerta, cerco y accesorios. Este concepto está certificado por laboratorios internacionales, como resistente al fuego para 30 o 60 minutos.

block
Fire 30 & Fire 60



Technical information

Technical drawings



A door width/height
largo/ancho porta


B effective clear
pasaje libre

C structural opening
luz premarco

P wall thickness
espesor pared

Notes:
Dimensions in millimeters.
(B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.
Depending on product features or configurations, dimensions will vary.

Configurations



Puerta corta-fuego 30 minutos, 44mm de espesor
Cerco corta-fuego 30 minutos en MDF hidrófugo
Juntas intumescentes
Bisagras y cerradura en acero inoxidable con marcado CE
Certificación corta-fuego - EN 13501-2

Opcional:
Cierrapuertas con brazo

30 minute fire door, 44mm thickness
30 minute fire resistant frame in MR MDF
Intumescent strips
Stainless steel CE marked hinges and lock
Fire certification - EN 13501-2

Optional:
Door closer with scissor arm


Note: PVC liping on the whole perimeter of the door

Essential Dekordor® HD Wenge



Technical information

Technical drawings



A	B	C	P
door width/height largo/ancho porta	effective clear pasaje libre	structural opening luz premarco	wall thickness espesor pared

Notes:
Dimensions in millimeters.
(B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.
Depending on product features or configurations, dimensions will vary.

Configurations




Puerta corta-fuego 60 minutos, 54mm de espesor
Cerco corta-fuego 60 minutos en MDF hidrófugo
Juntas intumescentes
Bisagras y cerradura en acero inoxidable con marcado CE
Certificación corta-fuego - EN 13501-2
Opcional:
Cierrapuertas con brazo

60 minute fire door, 54mm thickness
60 minute fire resistant frame in MR MDF
Intumescent strips
Stainless steel CE marked hinges and lock
Fire certification - EN 13501-2
Optional:
Door closer with scissor arm

Note: PVC lipping on the whole perimeter of the door

Architrave butt jointed



Essential Dekordor® HD Vintage Red



essential

range

Simple and practical design. The Essential range integrates flush models and is available in a wide range of colours, with finishes suitable for constant use. In harmony with the different type of applications areas, these models can accommodate various glazing apertures and configurations, creating brightness and mobility between spaces.

Diseño sencillo y práctico. La línea Essential integra modelos lisos disponibles en una amplia gama de colores y revestimientos indicados para uso intensivo. En sintonía con los espacios, estos modelos pueden asumir vidrieras y diversas configuraciones, privilegiando la luminosidad y la movilidad entre los espacios.



Flush



Air transfer grille



Fire rated air transfer grille



Overpanel



Overpanel with glazing



DFG40



DFG41



DFG56



V610

DFG16 or V10⁽¹⁾

DFG54



DFG01 L

⁽¹⁾ DFG16 suitable for fire and non fire doors. V10 only suitable for non fire doors. Different glazing openings will apply for these models.

finishes

DEKORDOR® HD

Laminate finish, hard wearing, with real wood appearance and plain colours

Revestimiento de alta resistencia que reproduce la chapa natural de madera y colores lisos

- | | |
|----------------------|-----------------------|
| 1 HD Wenge | 1 HD Wenge |
| 2 HD Oak | 2 HD Roble |
| 3 HD Ash | 3 HD Fresno |
| 4 HD Steamed Beech | 4 HD Haya Vaporizada |
| 5 HD Carbon Grey | 5 HD Ceniza Carbon |
| 6 HD Dark Grey | 6 HD Ceniza Dark |
| 7 HD Volcanic Grey | 7 HD Ceniza Volcanic |
| 8 HD Olive Grey | 8 HD Ceniza Olive |
| 9 HD Silver Grey | 9 HD Ceniza Silver |
| 10 HD Dove Grey | 10 HD Ceniza Dove |
| 11 HD Garlic Grey | 11 HD Ceniza Garlic |
| 12 HD Purple Orchid | 12 HD Púrpura Orchid |
| 13 HD Vintage Red | 13 HD Rojo Vintage |
| 14 HD Carrot Orange | 14 HD Naranja Carrot |
| 15 HD Spring Yellow | 15 HD Amarillo Spring |
| 16 HD Blue Lake | 16 HD Azul Lake |
| 17 HD Blue Seas | 17 HD Azul Seas |
| 18 HD Blue Breeze | 18 HD Azul Breeze |
| 19 HD Aqua Green | 19 HD Verde Aqua |
| 20 HD Cooler Green | 20 HD Verde Cooler |
| 21 HD Mushroom Brown | 21 HD Mushroom Marrón |
| 22 HD Liqueur Cream | 22 HD Crema Liqueur |
| 23 HD Sandy Cream | 23 HD Crema Sandy |
| 24 HD Stone Cream | 24 HD Crema Stone |
| 25 HD Pure Cream | 25 HD Crema Pure |
| 26 HD White | 26 HD Blanco |



finishes

DEKORDOR® SHD

High Pressure Laminates
for demanding locations

Laminado de alta presión
para uso intensivo (HPL)

27 SHD White
28 SHD Cream
29 SHD Yellow
30 SHD Orange
31 SHD Blue
32 SHD Grey Dark

27 SHD Blanco
28 SHD Crema
29 SHD Amarillo
30 SHD Naranja
31 SHD Azul
32 SHD Ceniza Dark

Note: Dekordor® SHD not available for frames.




DEKORDOR® 3D

Horizontal embossed
design


Revestimiento con relieve
y diseño horizontal

33 3D Grey
34 3D Washed Oak
35 3D Black
36 3D Dark Cedar

33 3D Ceniza
34 3D Roble Washed
35 3D Negro
36 3D Dark Cedar



Glazing





⁽¹⁾ DFG16 suitable for fire and non fire doors. V10 only suitable for non fire doors. Different glazing openings will apply for these models.

PG3H PG4H PG6H PG3PN PG2P2V PG2VL PG2V2 PG24 PG25

[illegible][illegible]

Key	
•	Available in Portaro® or Block
	Available in Portaro
•	Available in Block

All models



Performances available


Models	Fire Doors								Acoustic Doors				
	EI30	FD30	EI/FD30 Inverse	EI/FD30 Swinging	EI60	FD60	FD60 Swinging	FD90	EI30 AC32dB	EI/FD30 AC34dB	EI30 AC41dB	EI/FD30 AC42dB	EI/FD30 AC45dB
EX20 to EX24	•				•				•				
EX70 to EX73	•												
Other	•				•			(1)	•				
Glazing													

(1) Not available with aluminium inlay.

Acoustic Doors						Security Doors						
EI30 Inverse AC39dB	EI30 Inverse AC45dB	FD60 AC34dB	EI60 AC32dB	EI60 AC35dB	EI60 AC43dB	Security	Security FD30	Security EI30 AC35dB	Security EI30 AC37dB	SBD EI/FD30	SBD EI30 Inverse	SBD FD 60
•	•	•	•	•	•							
						•		•				
•	•	•	•	•	•	•		•				

Key	
•	Available in Portaro® or Block
	Available in Portaro
•	Available in Block

Modern Range




K Range




P Range




F Range




Modern Range detail




P Range detail



K Range detail



F Range detail



Performances available

Models	Fire Doors								Acoustic Doors				
	EI30	FD30	EI/FD30 Inverse	EI/FD30 Swinging	EI60	FD60	FD60 Swinging	FD90	EI30 AC32dB	EI/FD30 AC34dB	EI30 AC41dB	EI/FD30 AC42dB	EI/FD30 AC45dB
M Range	•				•				•				
K Range													
P Range													
F Range	•				•				•				

Key	
•	Available in Portaro® or Block
	Available in Portaro
•	Available in Block

Acoustic Doors						Security Doors						
EI30 Inverse AC39dB	EI30 Inverse AC45dB	FD60 AC34dB	EI60 AC32dB	EI60 AC35dB	EI60 AC43dB	Security	Security FD30	Security EI30 AC35dB	Security EI30 AC37dB	SBD EI/FD30	SBD EI30 Inverse	SBD FD 60
			•			•		•				
						•						
						•						
			•			•		•				

details

grooves, inlays & frames



Models and finishes available

Line	Models	Finishes							
		Naturdor®	Naturdor® SL	Naturdor® Stained	Dekordor® SHD	Dekordor® HD	Dekordor® 3D	Dekordor® SD	Lacdor
Essential	Vertical								
	Horizontal								
	Grooved								
	Inlaid								
Exclusive	EX20 to EX24								
	EX70 to EX73								
	Other								
Classic	M Range								
	K Range								
	P Range								
	F Range								

Essential Naturdor® Walnut



Grooves



* Not available in satin white

Grooves - Naturdor® Stained

These groove colours are available only for the following finishes:



Inlays




N°1 N°3 N°4 N°15

Architraves



Butt joint Mitre joint



Square architrave Rounded architrave

finishes

all options

Naturdor®




- 1
Ash
Fresno
- 2
Steamed Beech
Haya Vaporizada
- 3
Walnut
Nogal
- 4
Maple
Maple
- 5
Cherry
Cerezo
- 6
Oak
Roble
- 7
Sapele
Sapelly

Naturdor® SL



- 8
Wenge Dark SL
Wenge Dark SL
- 9
Oak SL
Roble SL
- 10
Walnut SL
Nogal SL
- 11
Teak SL
Teka SL
- 12
Zebrano SL
Zebrano SL
- 13
Ebony SL
Ebano SL

Naturdor® Stained




- 14
Dark Champagne
- 15
Deep Brown
- 16
Marina Grey
- 17
Nightfall Black
- 18
Pastel Cream
- 19
Toffee Brown
- 20
Pale Sand
- 21
Light Pistachio
- 22
Natural Grey
- 23
Carob Brown

Lacdor®



- 24
White Lacquered RAL9003
Lacado Blanco RAL9003
- 25
Satin White RAL9003
Blanco Satin RAL9003
- 26
Pure White RAL9010
- 27
Telegrey 4 RAL7047
- 28
Iron Grey RAL 7011
- 29
Claret Violet RAL4004
- 30
Grey Beige RAL1019
- 31
Grey White RAL9002

Dekordor® SHD



- 32
SHD White
SHD Blanco
- 33
SHD Cream
SHD Crema
- 34
SHD Yellow
SHD Amarillo
- 35
SHD Orange
SHD Naranja
- 36
SHD Blue
SHD Azul
- 37
SHD Grey Dark
SHD Ceniza Dark

finishes

all options

Dekodor® 3D



- 38**
3D Grey
3D Ceniza
- 39**
3D Washed Oak
3D Roble Washed
- 40**
3D Black
3D Negro
- 41**
3D Dark Cedar

Dekodor® HD



- 42**
HD Wenge
HD Wenge
- 43**
HD Oak
HD Roble
- 44**
HD Ash
HD Fresno
- 45**
HD Steamed Beech
HD Haya Vaporizada
- 46**
HD Carbon Grey
HD Ceniza Carbon
- 47**
HD Dark Grey
HD Ceniza Dark
- 48**
HD Volcanic Grey
HD Ceniza Volcanic
- 49**
HD Olive Grey
Ceniza Olive
- 50**
HD Silver Grey
HD Ceniza Silver
- 51**
HD Dove Grey
HD Ceniza Dove
- 52**
HD Garlic Grey
HD Ceniza Garlic
- 53**
HD Purple Orchid
HD Púrpura Orchid
- 54**
HD Vintage Red
HD Rojo Vintage
- 55**
HD Carrot Orange
HD Naranja Carrot
- 56**
HD Spring Yellow
HD Amarillo Spring
- 57**
HD Blue Lake
HD Azul Lake
- 58**
HD Blue Seas
HD Azul Seas
- 59**
HD Blue Breeze
HD Azul Breeze
- 60**
HD Aqua Green
HD Verde Aqua
- 61**
HD Cooler Green
HD Verde Cooler
- 62**
HD Mushroom Brown
HD Mushroom Marrón
- 63**
HD Liqueur Cream
HD Crema Liqueur
- 64**
HD Sandy Cream
HD Crema Sandy
- 65**
HD Stone Cream
HD Crema Stone
- 66**
HD Pure Cream
HD Crema Pure
- 67**
HD White
HD Blanco

Dekodor® SD



- 68**
SD Glacier
- 69**
SD Canyon
- 70**
SD Forest
- 71**
SD Steamed Beech
SD Haya Vaporizada
- 72**
SD Oak
SD Roble
- 73**
SD Ash
SD Fresno
- 74**
SD Wenge
SD Wenge
- 75**
SD Walnut
SD Nogal
- 76**
Tundra
- 77**
Mountain
- 78**
Alpine
- 79**
Desert
- 80**
White Foil Smooth
SD Blanco
- 81**
SD White Woodgrain
- 82**
CDW Glacier
- 83**
CDW Canyon
- 84**
CDW Forest
- 85**
CDW Oak
CDW Roble
- 86**
CDW Tundra
- 87**
CDW Mountain
- 88**
CDW Alpine
- 89**
CDW Desert

projects

Electricity House



Fulham Riverside




Plage des Nations



World Wildlife Fund Living Planet Centre




Bayview House



Dar Essalam Apartments



Ronald McDonald House




The Gate Towers



projects

Peninsula Paris Hotel




Vila Galé Évora Hotel




Vinci Porto Hotel



Bessa Lisboa Hotel




Radisson Hotel Santa Cruz



JW Marriott Tétouan Hotel



Electricity House




Mercure Porto Centro Hotel



projects

Sofitel Dubai Downtown



Lenitudes Medical Center & Research



Pestana CR7 Lisboa Hotel



Meyerhold Opera Hotel



Montemor School



Bella Vida Care Home



CUF Hospital



Vergilio Ferreira School

