

Solution which integrates door, frame and ironmongery, certified by independent laboratories as resistant to fire 30 minutes. Available in a wide range of finishes with high resistance.

Solución que integra puerta, cerco y accesorios, certificada por laboratorios internacionales, como resistente al fuego 30 minutos. Disponible en una amplia gama de revestimientos con elevada resistencia.


Fire 30




Technical information

Fire 30

Technical drawings



Configurations



Puerta corta-fuego 30 minutos, 44mm de espesor  
Cerco corta-fuego 30 min. en madera y contrachapado denso  
Juntas intumescentes y perfil de aislamiento  
Bisagras y cerradura en acero inoxidable con marcado CE  
U-Value 2,1W/m²K - EN 10077-1  
Certificación corta-fuego - EN 13501-2 e BS476 Part22  
**Opcional:**  
Chapas de protección, rejillas de ventilación  
para certificación BS  
Cierrapuertas con brazo

30 minute fire door, 44mm thickness  
30 min. fire resistant frame in solid wood and high density plywood  
Intumescent strips and isolation profiles  
Stainless steel CE marked hinges and lock  
U-Value 2,1W/m²K - EN 10077-1  
Fire certification - EN 13501-2 and BS476 Part22  
**Optional:**  
Sheet metal, ventilation grille for BS certification  
Door closer with scissor arm

Note: PVC lipping on the whole perimeter of the door

Sheet metal



Essential Dekordor® Steamed Beech




Door closer with scissor arm



Technical information

inverse Fire 30

Technical drawings



Configurations



1  
single leaf  
1 hoja



Product Certification Exova BM Trada, Q-Mark

Euro sash lock



Essential Dekordor® HD White



Stainless steel hinges



Puerta corta-fuego 30 minutos, 47mm de espesor  
Cerco corta-fuego 30 minutos en contrachapado  
Juntas intumescentes y perfil de aislamiento  
Bisagras y cerradura en acero inoxidable con marcado CE  
U-Value 2,1W/m²K - EN 10077-1  
Certificación corta-fuego - EN 13501-2 e BS476 Part22  
**Opcional:**  
Chapas de protección  
Guillotina

30 minute fire door, 47mm thickness  
30 minute fire resistant frame in plywood  
Intumescent strips and isolation profiles  
Stainless steel CE marked hinges and lock  
U-Value 2,1W/m²K - EN 10077-1  
Fire certification - EN 13501-2 and BS476 Part22  
**Optional:**  
Sheet metal  
Automatic drop seal

Note: PVC lipping on the whole perimeter of the door



Certified by independent laboratories, this product is resistant to fire 60 minutes and integrates door, frame and ironmongery.

Certificada por laboratorios internacionales, este producto es resistente al fuego 60 minutos e integra puerta, cerco y accesorios.


## Fire 60




Technical information

Fire 60

Technical drawings



Configurations



Dekordor® HD Spring Yellow



Puerta corta-fuego 60 minutos, 54mm de espesor  
Cerco corta-fuego 60 min. en madera y contrachapado denso  
Juntas intumescentes y perfil de aislamiento  
Bisagras y cerradura en acero inoxidable con marcado CE  
U-Value 1,8W/m²K para certificación BS  
Certificación corta-fuego - EN 13501-2 e BS476 Part22  
**Opcional:**  
Montante, chapas de protección  
Cierrapuertas oculto o con brazo

60 minute fire door, 54mm thickness  
60 min. fire resistant frame in solid wood and high density plywood  
Intumescent strips and isolation profiles  
Stainless steel CE marked hinges and lock  
U-Value 1,8W/m²K for BS certification  
Fire certification - EN 13501-2 and BS476 Part22  
**Optional:**  
Overpanels, sheet metal  
Concealed door closer or with scissor arm

Note: PVC lipping on the whole perimeter of the door



System which integrates frame, ironmongery and doors with double action. Available in a wide range of finishes with high resistance.

Sistema que integra cerco, accesorios y puertas de doble acción. Disponible en una amplia gama de revestimientos con elevada resistencia.

swinging double






Technical information

swinging double

Technical drawings



Configurations



Optional

Puerta con 35mm de espesor  
Puerta con interior macizo  
Cerco en contrachapado denso  
Bisagras doble acción  
**Opcional:**  
Chapas de protección

Door with 35mm thickness  
Door with solid core  
Frame in high density plywood  
Hinges double action  
**Optional:**  
Sheet metal

Note: PVC lipping on the whole perimeter of the door

Essential DFG41 Dekordor® HD Blue Seas



Solution which integrates door, frame, ironmongery and lead plates suitable to the levels of radiation insulation that are required.

Solución que integra puerta, cerco, accesorios y planchas de plomo adecuadas al nivel de las radiaciones pretendidas.

anti-radiation






Technical information


anti-radiation

Technical drawings



- A** door width/height  
largo/ancho porta
- B** effective clear  
pasaje libre
- C** structural opening  
luz premarco
- P** wall thickness  
espesor pared

Notes:  
Dimensions in millimeters.  
(B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.  
Depending on product features or configurations, dimensions will vary.



Puerta con interior maciza, reforzado con chapa de plomo adecuada a la protección requerida y espesor 47mm  
Cerco en madera con zocalos metálicos de protección en plomo  
Bisagras y cerradura en acero inoxidable con marcado CE  
**Opcional:**  
Chapas de protección y vidrieras emplomadas

Door with solid core, reinforced with lead plate suited to the required protection and 47mm thickness  
Frame in solid wood with lead plate  
Stainless steel CE marked hinges and lock  
**Optional:**  
Sheet metal and glazing with anti-radiation glass

Note: PVC lipping on the whole perimeter of the door

Essential Dekordor® SHD Dark Grey



Configurations



- 1** single leaf  
1 hoja
- 2** glazing apertures  
abertura con vidrio
- 3** double leaf  
2 hojas



Optional



MOBILITY

FIRE

Available in a wide range of finishes with high resistance, this flexible solution, can assume various configuration options.


Disponible en una amplia gama de revestimientos con elevada resistencia, esta solución flexible, puede asumir diversas opciones de configuración.





Technical information

Technical drawings



**A** door width/height  
largo/ancho porta

**B** effective clear  
pasaje libre

**C** structural opening  
luz premarco

**P** wall thickness  
espesor pared

**Notes:**  
Dimensions in millimeters.  
(B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.  
Depending on product features or configurations, dimensions will vary.

Configurations



**1** single leaf  
1 hoja

**2** glazing apertures  
abertura para vidrio

**3** overpanel  
montante

**4** double leaf  
2 hojas



MOBILITY

Essential DFG01L Dekordor® HD Aqua Green



Puerta con interior macizo  
Cerco en contrachapado denso  
Cerco con tapajuntas extensible y volteada  
Bisagras y cerradura con acabado en acero inoxidable  
**Opcional:**  
Montante, chapas de protección y rejillas de ventilación

Door with solid core  
Frame in high density plywood  
Frame with adjustable architrave and rounded  
Stainless steel hinges and lock  
**Optional:**  
Overpanels, sheet metal and ventilation grille

Note: PVC liping on the whole perimeter of the door

Portaro® sliding is distinguished by its versatility and space optimisation. This product is available with concealed or visible sliding systems.

El portaro® corredera se diferencia por su versatilidad y optimización del espacio. Este producto está disponible con sistema de corredera oculto o visible.

sliding door






Technical information


sliding door

Technical drawings




- A** door width/height  
largo/ancho porta
- B** effective clear  
pasaje libre
- C** structural opening  
luz premarco
- P** wall thickness  
espesor pared

Notes:  
Dimensions in millimeters.  
Depending on product features or configurations, dimensions will vary.



Configurations



- 1** single leaf  
1 hoja
- 2** double leaf  
2 hojas



Sliding door



Essential Dekordor® HD White



Puerta con interior macizo  
Cerco en contrachapado denso  
Sistema de corredera oculto  
Cerradura tipo pico loro  
Guía de suelo

Door with solid core  
Frame in high density plywood  
Frame with invisible sliding system  
Mortise lock for sliding door  
Lower door guide

Note: PVC lipping on the whole perimeter of the door

Certified by independent laboratories as resistant to fire for 30 or 60 minutes, this product solution ready to fit, integrates door, frame and ironmongery.

Certificada por laboratorios internacionales, como resistente al fuego para 30 o 60 minutos, este producto lista a instalar, integra puerta, cerco y accesorios.

block


Fire 30 & Fire 60





Technical information


Technical drawings



- A** door width/height  
largo/ancho porta
- B** effective clear  
pasaje libre
- C** structural opening  
luz premarco
- P** wall thickness  
espesor pared

Notes:  
Dimensions in millimeters.  
(B) Effective clear width/height, calculated considering door opened to 90°, but excluding the handle dimension.  
Depending on product features or configurations, dimensions will vary.

Configurations



- 1** single leaf  
1 hoja
- 2** glazing apertures  
abertura con vidrio
- 3** overpanel  
montante
- 4** double leaf  
2 hojas



Product Certification Afilicof, Tecnia

Puerta corta-fuego 30 minutos, 44mm de espesor  
Cercos corta-fuego 30 minutos en MDF hidrófugo  
Puerta disponible con lambor  
Juntas intumescentes  
Bisagras y cerradura en acero inoxidable con marcado CE  
Certificación corta-fuego - EN 13501-2  
**Opcional:**  
Chapas de protección  
Cierrapuertas con brazo

30 minute fire door, 44mm thickness  
30 minute fire resistant frame in MR MDF  
Door available with leading edge  
Intumescent strips  
Stainless steel CE marked hinges and lock  
Fire certification - EN 13501-2  
**Optional:**  
Sheet metal  
Door closer with scissor arm

Note: PVC lipping on the whole perimeter of the door.

Intumescent strips



Essential Dekordor® HD Steamed Beech




Fire resistant glass




Technical information


Technical drawings



Configurations



Essential Dekodor® HD Mushroom Brown



Puerta corta-fuego 60 minutos, 54mm de espesor  
Cerco corta-fuego 60 minutos en MDF hidrófugo  
Puerta disponible con lambor  
Juntas intumescentes  
Bisagras y cerradura en acero inoxidable con marcado CE  
Certificación corta-fuego - EN 13501-2  
**Opcional:**  
Chapas de protección  
Cierrapuertas con brazo

60 minute fire door, 54mm thickness  
60 minute fire resistant frame in MR MDF  
Door available with leading edge  
Intumescent strips  
Stainless steel CE marked hinges and lock  
Fire certification - EN 13501-2  
**Optional:**  
Sheet metal  
Door closer with scissor arm

Note: PVC liping on the whole perimeter of the door



block


Block is a rapid build interior door system, which combine door, frame and ironmongery. This product is available in kit or set solution, in a wide range of finishes with high resistance.

El sistema de block es un conjunto de puerta, cerco, tapetas y accesorios listos para instalar. Este producto está disponible montado o en kit y en una amplia gama de revestimientos con elevada resistencia.



Technical information

Technical drawings



Configurations



MOBILITY

Essential Dekordor® HD Carrot Orange



Puerta con interior macizo  
Cerco y tapetas volteadas en MDF hidrófugo  
Puerta disponible con lambor  
Opción de cerco con junta de goma  
Disponible con tapajuntas extensibles

Door with solid core  
Rounded frame and architraves in MR MDF  
Door available with leading edge  
Frame with rubber seal as option  
Available adjustable architraves

Note: PVC lipping on the whole perimeter of the door




# wardrobes




Technical information

wardrobes  
opening & sliding doors





- 1 model modelo
- 2 opening doors puertas abatibles
- 3 sliding doors puertas correderas

Note: Wardrobes with sliding doors only available with 2 (M2) or 3 doors (M3).



2

3



7

8

9

- 4 4 deep drawers module cajonera 4 cajones
- 5 2 deep drawers module cajonera 2 cajones
- 6 modules with 7, 4 or 2 drawers cajonera con 7, 4 o 2 cajones
- 7 panel front frente placa
- 8 low front frente bajo
- 9 shelves baldas

Puertas abatibles o correderas  
Modulación flexible  
Cajoneras y baldas  
Amplia gama de diseños y tonos para el interior  
**Opcional:** barra iluminada, colgador basculante, bisagras y cajones con cierre suave

Opening or sliding doors  
Flexible modulation  
Various drawers modules and shelves  
Various patterns and tones for interiors  
**Optional:** illuminated hanger bar, pull-down hanging rail, hinges and slides with soft closer


Drawers modules



Essential Dekordor® HD Purple Orchid



Interior finishes (some options)





# essential

## range

Simple and practical design. Essential range integrates flush models and is available in a wide range of colours, with finishes suitable for intensive use. In harmony with the different type of application locations, these models can provide various glazing apertures and configurations, creating light, visibility and mobility between spaces.

Diseño sencillo y práctico. La línea Essential integra modelos lisos disponibles en una amplia gama de colores y revestimientos indicados para uso intensivo. En sintonía con los espacios, estos modelos pueden asumir vidrieras y diversas configuraciones, privilegiando la luminosidad y la movilidad entre los espacios.



Flush



Sheet metal 1



Sheet metal 2



Overpanel



Overpanel with glazing



DFG40



DFG41



DFG56



V610



Air transfer grille

DFG16 or V10<sup>(1)</sup>

DFG54



DFG01 L



Fire rated air transfer grille

<sup>(1)</sup> DFG16 suitable for fire and non fire doors. V10 only suitable for non fire doors. Different glazing openings will apply for these models.

# finishes

## DEKORDOR® HD

Laminate finish, hard wearing, with real wood appearance and plain colours

Revestimiento de alta resistencia que reproduce la chapa natural de madera y colores lisos

- |                         |                      |                       |                      |
|-------------------------|----------------------|-----------------------|----------------------|
| 1 HD Wenge              | 1 HD Wenge           | 1 HD Wenge            | 1 HD Wenge           |
| 2 HD Carvalho           | 2 HD Oak             | 2 HD Roble            | 2 HD Chêne           |
| 3 HD Freixo             | 3 HD Ash             | 3 HD Fresno           | 3 HD Frêne           |
| 4 HD Faia Vaporizada    | 4 HD Steamed Beech   | 4 HD Haya Vaporizada  | 4 HD Hêtre Étuvé     |
| 5 HD Cinza Carbon       | 5 HD Carbon Grey     | 5 HD Ceniza Carbon    | 5 HD Gris Carbon     |
| 6 HD Cinza Dark         | 6 HD Dark Grey       | 6 HD Ceniza Dark      | 6 HD Gris Dark       |
| 7 HD Cinza Volcanic     | 7 HD Volcanic Grey   | 7 HD Ceniza Volcanic  | 7 HD Gris Volcanic   |
| 8 HD Cinza Olive        | 8 HD Olive Grey      | 8 HD Ceniza Olive     | 8 HD Gris Olive      |
| 9 HD Cinza Silver       | 9 HD Silver Grey     | 9 HD Ceniza Silver    | 9 HD Gris Silver     |
| 10 HD Cinza Dove        | 10 HD Dove Grey      | 10 HD Ceniza Dove     | 10 HD Gris Dove      |
| 11 HD Cinza Garlic      | 11 HD Garlic Grey    | 11 HD Ceniza Garlic   | 11 HD Gris Garlic    |
| 12 HD Purpura Orchid    | 12 HD Purple Orchid  | 12 HD Púrpura Orchid  | 12 HD Pourpre Orchid |
| 13 HD Vermelho Vintage  | 13 HD Vintage Red    | 13 HD Rojo Vintage    | 13 HD Rouge Vintage  |
| 14 HD Laranja Carrot    | 14 HD Carrot Orange  | 14 HD Naranja Carrot  | 14 HD Orange Carrot  |
| 15 HD Amarelo Spring    | 15 HD Spring Yellow  | 15 HD Amarillo Spring | 15 HD Jaune Spring   |
| 16 HD Azul Lake         | 16 HD Blue Lake      | 16 HD Azul Lake       | 16 HD Bleu Lake      |
| 17 HD Azul Seas         | 17 HD Blue Seas      | 17 HD Azul Seas       | 17 HD Bleu Seas      |
| 18 HD Azul Breeze       | 18 HD Blue Breeze    | 18 HD Azul Breeze     | 18 HD Bleu Breeze    |
| 19 HD Verde Aqua        | 19 HD Aqua Green     | 19 HD Verde Aqua      | 19 HD Vert Aqua      |
| 20 HD Verde Cooler      | 20 HD Cooler Green   | 20 HD Verde Cooler    | 20 HD Vert Cooler    |
| 21 HD Castanho Mushroom | 21 HD Mushroom Brown | 21 HD Mushroom Marrón | 21 HD Brun Mushroom  |
| 22 HD Creme Liqueur     | 22 HD Liqueur Cream  | 22 HD Crema Liqueur   | 22 HD Crème Liqueur  |
| 23 HD Creme Sandy       | 23 HD Sandy Cream    | 23 HD Crema Sandy     | 23 HD Crème Sandy    |
| 24 HD Creme Stone       | 24 HD Stone Cream    | 24 HD Crema Stone     | 24 HD Crème Stone    |
| 25 HD Creme Pure        | 25 HD Pure Cream     | 25 HD Crema Pure      | 25 HD Crème Pure     |
| 26 HD Branco            | 26 HD White          | 26 HD Blanco          | 26 HD Blanc          |





## finishes

## DEKORDOR® SHD

High Pressure Laminates  
for demanding locations

Laminado de alta presión  
para uso intensivo (HPL)



27 SHD Branco  
28 SHD Creme  
29 SHD Amarelo  
30 SHD Laranja  
31 SHD Azul  
32 SHD Cinza Dark

27 SHD White  
28 SHD Cream  
29 SHD Yellow  
30 SHD Orange  
31 SHD Blue  
32 SHD Grey Dark

27 SHD Blanco  
28 SHD Crema  
29 SHD Amarillo  
30 SHD Naranja  
31 SHD Azul  
32 SHD Ceniza Dark

27 SHD Blanc  
28 SHD Crème  
29 SHD Jaune  
30 SHD Orange  
31 SHD Bleu  
32 SHD Gris Dark

**Note:** Dekordor® SHD not available for frames.



## DEKORDOR® 3D

Horizontal embossed  
design

Revestimiento con relieve  
y diseño horizontal

33 3D Cinza  
34 3D Carvalho Washed  
35 3D Preto  
36 3D Dark Cedar

33 3D Grey  
34 3D Washed Oak  
35 3D Black  
36 3D Dark Cedar

33 3D Ceniza  
34 3D Roble Washed  
35 3D Negro  
36 3D Dark Cedar

33 3D Gris  
34 3D Chêne Washed  
35 3D Noir  
36 3D Dark Cedar



Figure 1 displays seven schematic diagrams of vertical and horizontal panels, labeled from left to right: Vertical, Horizontal, IG1VL, IG2VL, IG2H, IG3H, and IG4H. Each panel shows a different combination of vertical and horizontal lines, textures, and small circular features.

V610      DFG16 or V10<sup>1)</sup>      V3      V4      DFG40      DFG41      DFG56      DFG54      DFG01 L

(1) DFG16 suitable for fire and non fire doors. V10 only suitable for non fire doors. Different glazing openings will apply for these models.

PG2V2H   PG2V4H   PG1P   PG2P   PG3P   PG4P   PG6V   PG1P4V   PG1VL   PG2V   PG2H

PG3H      PG4H      PG6H      PG3PN      PG2P2V      PG2VL      PG2V2      PG24      PG25

[illegible]

**Note:** Grooves on performance doors - Only available with 1,5mm depth, ending before the edge of the door.

[illegible]



|     |                                |
|-----|--------------------------------|
| Key |                                |
| •   | Available in Portaro® or Block |
|     | Available in Portaro           |
| •   | Available in Block             |



# exclusive

models & performances

All models



Performances available


| Models       | Fire Doors |      |                 |                  |      |      |               |      | Acoustic Doors |                |             |                |                |
|--------------|------------|------|-----------------|------------------|------|------|---------------|------|----------------|----------------|-------------|----------------|----------------|
|              | EI30       | FD30 | EI/FD30 Inverse | EI/FD30 Swinging | Ei60 | FD60 | FD60 Swinging | FD90 | EI30 AC32dB    | EI/FD30 AC34dB | EI30 AC41dB | EI/FD30 AC42dB | EI/FD30 AC45dB |
| EX20 to EX24 | •          |      |                 |                  | •    |      |               |      | •              |                |             |                |                |
| EX70 to EX73 | •          |      |                 |                  |      |      |               |      |                |                |             |                |                |
| Other        | •          |      |                 |                  | •    |      |               | (1)  | •              |                |             |                |                |
| Glazing      |            |      |                 |                  |      |      |               |      |                |                |             |                |                |

(1) Not available with aluminium inlay.

| Acoustic Doors      |                     |             |             |             |             | Security Doors |               |                      |                      |             |                  |           |
|---------------------|---------------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------------|----------------------|-------------|------------------|-----------|
| EI30 Inverse AC39dB | EI30 Inverse AC45dB | FD60 AC34dB | Ei60 AC32dB | Ei60 AC35dB | Ei60 AC43dB | Security       | Security FD30 | Security EI30 AC35dB | Security EI30 AC37dB | SBD EI/FD30 | SBD EI30 Inverse | SBD FD 60 |
| •                   | •                   | •           | •           | •           | •           |                |               |                      |                      |             |                  |           |
|                     |                     |             |             |             |             | •              |               | •                    |                      |             |                  |           |
| •                   | •                   | •           | •           | •           | •           | •              |               | •                    |                      |             |                  |           |
|                     |                     |             |             |             |             |                |               |                      |                      |             |                  |           |

| Key |                                |
|-----|--------------------------------|
| •   | Available in Portaro® or Block |
|     | Available in Portaro           |
| •   | Available in Block             |

Modern Range




K Range




P Range




F Range




Modern Range detail




P Range detail



K Range detail



F Range detail



Performances available

| Models  | Fire Doors |      |                 |                  |      |      |               |      | Acoustic Doors |                |             |                |                |
|---------|------------|------|-----------------|------------------|------|------|---------------|------|----------------|----------------|-------------|----------------|----------------|
|         | EI30       | FD30 | EI/FD30 Inverse | EI/FD30 Swinging | EI60 | FD60 | FD60 Swinging | FD90 | EI30 AC32dB    | EI/FD30 AC34dB | EI30 AC41dB | EI/FD30 AC42dB | EI/FD30 AC45dB |
| M Range | •          |      |                 |                  | •    |      |               |      | •              |                |             |                |                |
| K Range |            |      |                 |                  |      |      |               |      |                |                |             |                |                |
| P Range |            |      |                 |                  |      |      |               |      |                |                |             |                |                |
| F Range | •          |      |                 |                  | •    |      |               |      | •              |                |             |                |                |

| Key |                                |
|-----|--------------------------------|
| •   | Available in Portaro® or Block |
|     | Available in Portaro           |
| •   | Available in Block             |

| Acoustic Doors      |                     |             |             |             |             | Security Doors |               |                      |                      |             |                  |           |
|---------------------|---------------------|-------------|-------------|-------------|-------------|----------------|---------------|----------------------|----------------------|-------------|------------------|-----------|
| EI30 Inverse AC39dB | EI30 Inverse AC45dB | FD60 AC34dB | EI60 AC32dB | EI60 AC35dB | EI60 AC43dB | Security       | Security FD30 | Security EI30 AC35dB | Security EI30 AC37dB | SBD EI/FD30 | SBD EI30 Inverse | SBD FD 60 |
|                     |                     |             | •           |             |             | •              |               | •                    |                      |             |                  |           |
|                     |                     |             |             |             |             | •              |               |                      |                      |             |                  |           |
|                     |                     |             |             |             |             | •              |               |                      |                      |             |                  |           |
|                     |                     |             | •           |             |             | •              |               | •                    |                      |             |                  |           |

# details

grooves, inlays & frames



Models and finishes available

| Line      | Models       | Finishes  |              |                   |               |              |              |              |        |
|-----------|--------------|-----------|--------------|-------------------|---------------|--------------|--------------|--------------|--------|
|           |              | Naturdor® | Naturdor® SL | Naturdor® Stained | Dekordor® SHD | Dekordor® HD | Dekordor® 3D | Dekordor® SD | Lacdor |
| Essential | Vertical     |           |              |                   |               |              |              |              |        |
|           | Horizontal   |           |              |                   |               |              |              |              |        |
|           | Grooved      |           |              |                   |               |              |              |              |        |
|           | Inlaid       |           |              |                   |               |              |              |              |        |
| Exclusive | EX20 to EX24 |           |              |                   |               |              |              |              |        |
|           | EX70 to EX73 |           |              |                   |               |              |              |              |        |
|           | Other        |           |              |                   |               |              |              |              |        |
| Classic   | M Range      |           |              |                   |               |              |              |              |        |
|           | K Range      |           |              |                   |               |              |              |              |        |
|           | P Range      |           |              |                   |               |              |              |              |        |
|           | F Range      |           |              |                   |               |              |              |              |        |

Essential Naturdor® Walnut



Grooves




\* Not available in satin white

Grooves - Naturdor® Stained


These groove colours are available only for the following finishes:



Inlays



Architraves





# finishes

## all options

Naturdor®



- 1  
Ash  
Fresno
- 2  
Steamed Beech  
Haya Vaporizada
- 3  
Walnut  
Nogal
- 4  
Maple  
Maple
- 5  
Cherry  
Cerezo
- 6  
Oak  
Roble
- 7  
Sapele  
Sapelly

Naturdor® SL



- 8  
Wenge Dark SL  
Wenge Dark SL
- 9  
Oak SL  
Roble SL
- 10  
Walnut SL  
Nogal SL
- 11  
Teak SL  
Teka SL
- 12  
Zebrano SL  
Zebrano SL
- 13  
Ebony SL  
Ebano SL

Naturdor® Stained



- 14  
Dark Champagne
- 15  
Deep Brown
- 16  
Marina Grey
- 17  
Nightfall Black
- 18  
Pastel Cream
- 19  
Toffee Brown
- 20  
Pale Sand
- 21  
Light Pistachio
- 22  
Natural Grey
- 23  
Carob Brown

Lacdor®



- 24  
White Lacquered RAL9003  
Lacado Blanco RAL9003
- 25  
Satin White RAL9003  
Blanco Satin RAL9003
- 26  
Pure White RAL9010
- 27  
Telegrey 4 RAL7047
- 28  
Iron Grey RAL 7011
- 29  
Claret Violet RAL4004
- 30  
Grey Beige RAL1019
- 31  
Grey White RAL9002

Dekordor® SHD



- 32  
SHD White  
SHD Blanco
- 33  
SHD Cream  
SHD Crema
- 34  
SHD Yellow  
SHD Amarillo
- 35  
SHD Orange  
SHD Naranja
- 36  
SHD Blue  
SHD Azul
- 37  
SHD Grey Dark  
SHD Ceniza Dark

# finishes

## all options

Dekodor® 3D



- 38

3D Grey  
3D Ceniza
- 39

3D Washed Oak  
3D Roble Washed
- 40

3D Black  
3D Negro
- 41

3D Dark Cedar

Dekodor® HD



- 42

HD Wenge  
HD Wenge
- 43

HD Oak  
HD Roble
- 44

HD Ash  
HD Fresno
- 45

HD Steamed Beech  
HD Haya Vaporizada
- 46

HD Carbon Grey  
HD Ceniza Carbon
- 47

HD Dark Grey  
HD Ceniza Dark
- 48

HD Volcanic Grey  
HD Ceniza Volcanic
- 49

HD Olive Grey  
Ceniza Olive
- 50

HD Silver Grey  
HD Ceniza Silver
- 51

HD Dove Grey  
HD Ceniza Dove
- 52

HD Garlic Grey  
HD Ceniza Garlic
- 53

HD Purple Orchid  
HD Púrpura Orchid
- 54

HD Vintage Red  
HD Rojo Vintage
- 55

HD Carrot Orange  
HD Naranja Carrot
- 56

HD Spring Yellow  
HD Amarillo Spring
- 57

HD Blue Lake  
HD Azul Lake
- 58

HD Blue Seas  
HD Azul Seas
- 59

HD Blue Breeze  
HD Azul Breeze
- 60

HD Aqua Green  
HD Verde Aqua
- 61

HD Cooler Green  
HD Verde Cooler
- 62

HD Mushroom Brown  
HD Mushroom Marrón
- 63

HD Liqueur Cream  
HD Crema Liqueur
- 64

HD Sandy Cream  
HD Crema Sandy
- 65

HD Stone Cream  
HD Crema Stone
- 66

HD Pure Cream  
HD Crema Pure
- 67

HD White  
HD Blanco

Dekodor® SD



- 68

SD Glacier
- 69

SD Canyon
- 70

SD Forest
- 71

SD Steamed Beech  
SD Haya Vaporizada
- 72

SD Oak  
SD Roble
- 73

SD Ash  
SD Fresno
- 74

SD Wenge  
SD Wenge
- 75

SD Walnut  
SD Nogal
- 76

Tundra
- 77

Mountain
- 78

Alpine
- 79

Desert
- 80

White Foil Smooth  
SD Blanco
- 81

SD White Woodgrain
- 82

CDW Glacier
- 83

CDW Canyon
- 84

CDW Forest
- 85

CDW Oak  
CDW Roble
- 86

CDW Tundra
- 87

CDW Mountain
- 88

CDW Alpine
- 89

CDW Desert




# projects

Electricity House



Fulham Riverside



Plage des Nations



World Wildlife Fund Living Planet Centre




Bayview House



Dar Essalam Apartments



Ronald McDonald House



The Gate Towers





# projects

Peninsula Paris Hotel



Vila Galé Évora Hotel




Vinci Porto Hotel



Bessa Lisboa Hotel




Radisson Hotel Santa Cruz




JW Marriott Tétouan Hotel



Electricity House



Mercure Porto Centro Hotel





# projects

Sofitel Dubai Downtown



Lenitudes Medical Center & Research



Pestana CR7 Lisboa Hotel



Meyerhold Opera Hotel



Montemor School



Bella Vida Care Home



CUF Hospital



Vergilio Ferreira School

